

-2-

Serial No. 09/769,611  
Docket No. SJO920000171US1  
Firm No. 0037.0011

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Previously Presented) A method for managing client transactions requesting access to a shared storage device, comprising:

logging client transactions providing updates to data in the shared storage device in a log file from multiple clients, wherein an oldest pending transaction logged in the log file is capable of preventing new transactions from being added to the log file, and wherein the clients submit transactions to the shared storage device during a session that the clients initiate;

determining one of the clients whose session is active longer than a threshold time period and that is also transmitting data at a transmission rate less than a threshold transmission rate; and

denying subsequent transactions from the determined client access to the shared storage device to provide additional space in the log file for new transactions from the clients, other than the determined client, requesting access to the shared storage device.

2. (Previously Presented) A method for managing client transactions requesting access to a shared storage device, comprising:

logging client transactions providing updates to data in the shared storage device in a log file from multiple clients;

determining one of the clients transmitting data at a transmission rate less than a threshold transmission rate;

denying subsequent transactions from the determined client access to the shared storage device to provide additional space in the log file for new transactions from the clients, other than the determined client, requesting access to the shared storage device; and

removing all pending transactions of the determined client from the log file.

3. (Canceled)

-3-

Serial No. 09/769,611  
Docket No. SJO920000171US1  
Firm No. 0037.0011

4. (Previously Presented) The method of claim 1, further comprising:  
determining one pending transaction whose access to the shared storage device has  
completed; and  
removing the determined pending transaction from the log file.

5. (Previously Presented) The method of claim 4, further comprising:  
determining one client that has transmitted a threshold amount of data, wherein the  
determination and removal from the log file of pending transactions whose access to the shared  
storage device has completed is made for all the pending transactions of the determined client that  
has transmitted the threshold amount of data.

6. (Canceled)

7. (Previously Presented) The method of claim 1, further comprising:  
providing a first pointer pointing to the oldest pending transaction in the log file that is  
capable of preventing new transactions from being added to the log file; and  
if one of the removed transactions is the oldest pending transaction in the log file, then  
adjusting the first pointer to point to a next oldest pending transaction in the log file, wherein  
adjusting the first pointer frees space in the log file for new transactions to be added.

8. (Previously Presented) The method of claim 7, further comprising:  
providing a second pointer pointing to a most recently added transaction to the log file;  
and  
adding a new transaction to the log file by writing information on the new transaction to an  
address in the log file following the second pointer and adjusting the second pointer to point to the  
address of the added new transaction, wherein one new transaction cannot be added to the log file  
if the first pointer addresses a first location in the log file adjacent to a second location addressed  
by the second pointer.

-4-

Serial No. 09/769,611  
Docket No. SJO920000171US1  
Firm No. 0037.0011

9. (Previously Presented) The method of claim 8, wherein new transactions are added to sequential addresses in the log file, further comprising:

if the second pointer is at a last address in the log file, then writing information on the new transaction to a first address in the log file and adjusting the second pointer to point to the first address in the log file.

10. (Previously Presented) The method of claim 1, wherein access to the shared storage device is provided through a server, wherein the server maintains the log file.

11. (Previously Presented) The method of claim 10, further comprising:  
redirecting transactions from the determined client to an additional server providing access to another copy of the shared storage device requested by the client transactions.

12. (Canceled)

13. (Previously Presented) The method of claim 1, wherein the update transactions are provided by a client backup program to backup client data in the shared storage device.

14. (Currently Amended) A system for managing client transactions from multiple clients, comprising:

a shared storage device, wherein the client transactions request access to the shared resource storage device to provide updates to data in the shared storage device;

a computer readable medium including a log file;

means for logging client transactions in the log file from the multiple clients, wherein an oldest pending transaction logged in the log file is capable of preventing new transactions from being added to the log file, and wherein the clients submit transactions to the shared storage device during a session that the clients initiate;

-5-

Serial No. 09/769,611  
Docket No. SJ0920000171US1  
Firm No. 0037.0011

means for determining one client whose session is active longer than a threshold time period and that is also transmitting data at a transmission rate less than a threshold transmission rate; and

means for denying subsequent transactions from the determined client access to the shared resource storage device to provide additional space in the log file for new transactions from the clients, other than the determined client, requesting access to the resource.

15. (Currently Amended) A system for managing client transactions from multiple clients, comprising:

a shared storage device, wherein the client transactions request access to the shared resource storage device to provide updates to data in the shared storage device;

a computer readable medium including a log file;

means for logging client transactions in the log file from the multiple clients;

means for determining one client transmitting data at a transmission rate less than a threshold transmission rate; and

means for denying subsequent transactions from the determined client access to the shared storage device to provide additional space in the log file for new transactions from the clients, other than the determined client, requesting access to the resource shared storage device; and

means for removing all pending transactions of the determined client from the log file.

16. (Canceled)

17. (Previously Presented) The system of claim 14, further comprising:

means for determining one pending transaction whose access to the shared storage device has completed; and

means for removing the determined pending transaction from the log file.

-6-

Serial No. 09/769,611  
Docket No. SJO920000171US1  
Firm No. 0037.0011

18. (Previously Presented) The system of claim 17, further comprising:  
means for determining one client that has transmitted a threshold amount of data, wherein the determination and removal from the log file of pending transactions whose access to the shared storage device has completed is made for all the pending transactions of the determined client that has transmitted the threshold amount of data.

19. (Previously Presented) The system of claim 2, wherein an oldest pending transaction logged in the log file is capable of preventing new transactions from being added to the log file.

20. (Previously Presented) The system of claim 14, further comprising:  
means for providing a first pointer pointing to the oldest pending transaction in the log file that is capable of preventing new transactions from being added to the log file; and  
means for adjusting the first pointer to point to a next oldest pending transaction in the log file if one of the removed transactions is the oldest pending transaction in the log file, wherein adjusting the first pointer frees space in the log file for new transactions to be added.

21. (Previously Presented) The system of claim 20, further comprising:  
means for providing a second pointer pointing to a most recently added transaction to the log file; and  
means for adding a new transaction to the log file by writing information on the new transaction to an address in the log file following the second pointer and adjusting the second pointer to point to the address of the added new transaction, wherein one new transaction cannot be added to the log file if the first pointer addresses a first location in the log file adjacent to a second location addressed by the second pointer.

-7-

Serial No. 09/769,611  
Docket No. SJO920000171US1  
Firm No. 0037.0011

22. (Previously Presented) The system of claim 21, wherein new transactions are added to sequential addresses in the log file, further comprising:

means for writing information on the new transaction to the first address in the log file and adjusting the second pointer to point to a first address in the log file if the second pointer is at a last address in the log file.

23. (Previously Presented) The system of claim 14, further comprising:  
a server providing access to the shared storage device, wherein the server includes the computer readable medium including the log file.

24. (Previously Presented) The system of claim 23, further comprising:  
an additional server providing access to an additional copy of the shared storage device;  
and  
means for redirecting transactions from the determined client to the additional server to provide the redirected transaction access to the shared storage device.

25. (Canceled)

26. (Previously Presented) The system of claim 14, further comprising:  
a client backup program, wherein the update transactions are provided by the client backup program to backup client data in the shared storage device.

27. (Previously Presented) An article of manufacture for managing client transactions from multiple clients requesting access to a shared storage device in a log file, the article of manufacture comprising code capable of causing a processor to perform: logging client transactions in the log file from the multiple clients, wherein an oldest pending transaction logged in the log file is capable of preventing new transactions from being added to the log file, and

-8-

Serial No. 09/769,611  
Docket No. SJO920000171US1  
Firm No. 0037.0011

wherein the clients submit transactions requesting the shared storage device during a session that the clients initiate;

determining one client whose session is active longer than a threshold time period and that is also transmitting data at a transmission rate less than a threshold transmission rate; and

denying subsequent transactions from the determined client access to the shared storage device to provide additional space in the log file for new transactions from the clients, other than the determined client, requesting access to the shared storage device.

28. (Previously Presented) An article of manufacture for managing client transactions from multiple clients requesting access to a shared storage device in a log file, the article of manufacture comprising code capable of causing a processor to perform: logging client transactions in the log file from the multiple clients;

determining one client transmitting data at a transmission rate less than a threshold transmission rate;

denying subsequent transactions from the determined client access to the shared storage device to provide additional space in the log file for new transactions from the clients, other than the determined client, requesting access to the shared storage device; and

removing all pending transactions of the determined client from the log file.

29. (Canceled)

30. (Previously Presented) The article of manufacture of claim 27, wherein the code is further capable of causing the processor to perform:

determining one pending transaction whose access to the shared storage device has completed; and

removing the determined pending transaction from the log file.

-9-

Serial No. 09/769,611  
Docket No. SJO920000171US1  
Firm No. 0037.0011

31. (Previously Presented) The article of manufacture of claim 30, wherein the code is further capable of causing the processor to perform:

determining one client that has transmitted a threshold amount of data, wherein the determination and removal from the log file of pending transactions whose access to the shared storage device has completed is made for all the pending transactions of the determined client that has transmitted the threshold amount of data.

32. (Previously Presented) The article of manufacture of claim 28, wherein an oldest pending transaction logged in the log file is capable of preventing new transactions from being added to the log file.

33. (Previously Presented) The article of manufacture of claim 27, wherein the code is further capable of causing the processor to perform:

providing a first pointer pointing to the oldest pending transaction in the log file that is capable of preventing new transactions from being added to the log file; and

if one of the removed transactions is the oldest pending transaction in the log file, then adjusting the first pointer to point to a next oldest pending transaction in the log file, wherein adjusting the first pointer frees space in the log file for new transactions to be added.

34. (Previously Presented) The article of manufacture of claim 33, wherein the code is further capable of causing the processor to perform:

providing a second pointer pointing to a most recently added transaction to the log file; and

adding a new transaction to the log file by writing information on the new transaction to an address in the log file following the second pointer and adjusting the second pointer to point to the address of the added new transaction, wherein one new transaction cannot be added to the log file if the first pointer addresses a first location in the log file adjacent to a second location addressed by the second pointer.



-10-

Serial No. 09/769,611  
Docket No. SJO920000171US1  
Firm No. 0037.0011

35. (Previously Presented) The article of manufacture of claim 34, wherein new transactions are added to sequential addresses in the log file, and wherein the code is further capable of causing the processor to perform:

if the second pointer is at a last address in the log file, then writing information on the new transaction to the first address in the log file and adjusting the second pointer to point to the first address in the log file.

36. (Previously Presented) The article of manufacture of claim 27, wherein access to the shared storage device is provided through a server, wherein the server maintains the log file.

37. (Previously Presented) The article of manufacture of claim 36, wherein the code is further capable of causing the processor to perform:

redirecting transactions from the determined client to an additional server providing access to another copy of the shared storage device requested by the client transactions.

38. (Canceled)

39. (Previously Presented) The article of manufacture of claim 27, wherein the update transactions are provided by a client backup program to backup client data in the shared storage device.